

Web Scraping

Lecture 12

Dr. Colin Rundel



Hypertext Markup Language

Most of the data on the web is still largely available as HTML - while it is structured (hierarchical) it often is not available in a form useful for analysis (flat / tidy).

```
1 <html>
2   <head>
3     <title>This is a title</title>
4   </head>
5   <body>
6     <p align="center">Hello world!</p>
7     <br/>
8     <div class="name" id="first">John</div>
9     <div class="name" id="last">Doe</div>
10    <div class="contact">
11      <div class="home">555-555-1234</div>
12      <div class="home">555-555-2345</div>
13      <div class="work">555-555-9999</div>
14      <div class="fax">555-555-8888</div>
15    </div>
16  </body>
17 </html>
```

rvest

`rvest` is a package from the tidyverse that makes basic processing and manipulation of HTML data straight forward. It provides high level functions for interacting with html via the xml2 library.

Core functions:

- `read_html()` - read HTML data from a url or character string.
- `html_elements()` / `html_nodes()` - select specified elements from the HTML document using CSS selectors (or xpath).
- `html_element()` / `html_node()` - select a single element from the HTML document using CSS selectors (or xpath).
- `html_table()` - parse an HTML table into a data frame.
- `html_text()` / `html_text2()` - extract tag's text content.
- `html_name` - extract a tag/element's name(s).
- `html_attrs` - extract all attributes.
- `html_attr` - extract attribute value(s) by name.

html, rvest, & xml2

```
1 html =
2 '<html>
3   <head>
4     <title>This is a title</title>
5   </head>
6   <body>
7     <p align="center">Hello world!</p>
8     <br/>
9     <div class="name" id="first">John</div>
10    <div class="name" id="last">Doe</div>
11    <div class="contact">
12      <div class="home">555-555-1234</div>
13      <div class="home">555-555-2345</div>
14      <div class="work">555-555-9999</div>
15      <div class="fax">555-555-8888</div>
16    </div>
17  </body>
18 </html>'
```

```
1 read_html(html)
```

```
{html_document}
<html>
[1] <head>\n<meta http-equiv="Content-Type"
content="text/html; charset=UTF-8 ...
[2] <body>\n   <p align="center">Hello world!
</p>\n   <br><div class="name" ...
```

Selecting elements

```
1 read_html(html) |> html_elements("p")
```

```
{xml_nodeset (1)}  
[1] <p align="center">Hello world!</p>
```

```
1 read_html(html) |> html_elements("p") |> html_text()
```

```
[1] "Hello world!"
```

```
1 read_html(html) |> html_elements("p") |> html_name()
```

```
[1] "p"
```

```
1 read_html(html) |> html_elements("p") |> html_attrs()
```

```
[[1]]  
  align  
"center"
```

```
1 read_html(html) |> html_elements("p") |> html_attr("align")
```

```
[1] "center"
```

More selecting tags

```
1 read_html(html) |> html_elements("div")
```

```
{xml_nodeset (7)}  
[1] <div class="name" id="first">John</div>  
[2] <div class="name" id="last">Doe</div>  
[3] <div class="contact">\n      <div class="home">555-555-1234</div>\n      ...  
[4] <div class="home">555-555-1234</div>  
[5] <div class="home">555-555-2345</div>  
[6] <div class="work">555-555-9999</div>  
[7] <div class="fax">555-555-8888</div>
```

```
1 read_html(html) |> html_elements("div") |> html_text()
```

```
[1] "John"  
[2] "Doe"  
[3] "\n      555-555-1234\n      555-555-2345\n      555-555-9999\n      555-555-8888\n"  
[4] "555-555-1234"  
[5] "555-555-2345"  
[6] "555-555-9999"  
[7] "555-555-8888"
```

Nesting tags

```
1 read_html(html) |> html_elements("body div")
```

```
{xml_nodeset (7)}  
[1] <div class="name" id="first">John</div>  
[2] <div class="name" id="last">Doe</div>  
[3] <div class="contact">\n      <div class="home">555-555-1234</div>\n  
...  
[4] <div class="home">555-555-1234</div>  
[5] <div class="home">555-555-2345</div>  
[6] <div class="work">555-555-9999</div>  
[7] <div class="fax">555-555-8888</div>
```

```
1 read_html(html) |> html_elements("body>div")
```

```
{xml_nodeset (3)}  
[1] <div class="name" id="first">John</div>  
[2] <div class="name" id="last">Doe</div>  
[3] <div class="contact">\n      <div class="home">555-555-1234</div>\n  
...
```



```
1 read_html(html) |> html_elements("body div div")
```

```
{xml_nodeset (4)}
```

```
[1] <div class="home">555-555-1234</div>
```

```
[2] <div class="home">555-555-2345</div>
```

```
[3] <div class="work">555-555-9999</div>
```

```
[4] <div class="fax">555-555-8888</div>
```

css selectors

We will be using a tool called selector gadget to help up identify the html elements of interest - it does this by constructing a css selector which can be used to subset the html document.

Some examples of basic selector syntax is below,

Selector	Example	Description
.class	<code>.title</code>	Select all elements with class="title"
#id	<code>#name</code>	Select all elements with id="name"
element	<code>p</code>	Select all <p> elements
element element	<code>div p</code>	Select all <p> elements inside a <div> element
element>element	<code>div > p</code>	Select all <p> elements with <div> as a parent
[attribute]	<code>[class]</code>	Select all elements with a class attribute
[attribute=value]	<code>[class=title]</code>	Select all elements with class="title"

There are also a number of additional combinators and pseudo-classes that improve flexibility, see examples [here](#).

CSS classes and ids

```
1 read_html(html) |> html_elements(".name")
```

```
{xml_nodeset (2)}  
[1] <div class="name" id="first">John</div>  
[2] <div class="name" id="last">Doe</div>
```

```
1 read_html(html) |> html_elements("div.name")
```

```
{xml_nodeset (2)}  
[1] <div class="name" id="first">John</div>  
[2] <div class="name" id="last">Doe</div>
```

```
1 read_html(html) |> html_elements("#first")
```

```
{xml_nodeset (1)}  
[1] <div class="name" id="first">John</div>
```

Mixing it up

```
1 read_html(html) |> html_elements("[align]")
```

```
{xml_nodeset (1)}
```

```
[1] <p align="center">Hello world!</p>
```

```
1 read_html(html) |> html_elements(".contact div")
```

```
{xml_nodeset (4)}
```

```
[1] <div class="home">555-555-1234</div>
```

```
[2] <div class="home">555-555-2345</div>
```

```
[3] <div class="work">555-555-9999</div>
```

```
[4] <div class="fax">555-555-8888</div>
```

html_text() vs html_text2()

```
1 html = read_html(  
2   "<p>  
3     This is the first sentence in the paragraph.  
4     This is the second sentence that should be on the same line as the first  
5   </p>"  
6 )
```

```
1 html |> html_text()
```

```
[1] " \n    This is the first sentence in the paragraph.\n    This is the  
second sentence that should be on the same line as the first sentence.This third  
sentence should start on a new line.\n  "
```

```
1 html |> html_text2()
```

```
[1] "This is the first sentence in the paragraph. This is the second sentence  
that should be on the same line as the first sentence.\nThis third sentence  
should start on a new line."
```

```
1 html |> html_text() |> cat(sep="\n")
```

This is the first sentence in the paragraph.

This is the second sentence that should be on the same line as the first sentence. This third sentence should start on a new line.

```
1 html |> html_text2() |> cat(sep="\n")
```

This is the first sentence in the paragraph. This is the second sentence that should be on the same line as the first sentence.
This third sentence should start on a new line.

html tables


```
1 html_table =
2 '<html>
3   <head>
4     <title>This is a title</title>
5   </head>
6   <body>
7     <table>
8       <tr> <th>a</th> <th>b</th> <th>c</th> </tr>
9       <tr> <td>1</td> <td>2</td> <td>3</td> </tr>
10      <tr> <td>2</td> <td>3</td> <td>4</td> </tr>
11      <tr> <td>3</td> <td>4</td> <td>5</td> </tr>
12    </table>
13  </body>
14 </html>'
```

```
1 read_html(html_table) |>
2   html_elements("table") |>
3   html_table()
```

```
[[1]]
# A tibble: 3 × 3
      a     b     c
  <int> <int> <int>
1     1     2     3
2     2     3     4
3     3     4     5
```

SelectorGadget

This is a javascript based tool that helps you interactively build an appropriate CSS selector for the content you are interested in.



selectorgadget.com

Sta 523 - Fall 2023

Web scraping considerations

“Can you?” vs “Should you?”

Researchers just released profile data on 70,000 OkCupid users without permission

By Brian Resnick | @B_resnick | brian@vox.com | May 12, 2016, 6:00pm EDT

A group of researchers has released a data set on nearly 70,000 users of the online dating site OkCupid. The data dump breaks the cardinal rule of social science research ethics: **it took identifiable personal data without permission.**

The information — while publicly available to OkCupid users — was collected by Danish researchers who never contacted OkCupid or its clientele about using it.

The data, collected from November 2014 to March 2015, includes user names, ages, gender, religion, and personality traits, as well as answers to the personal questions the site asks to help match potential mates. The users hail from a few dozen countries around the world.

The data dump did not reveal anyone's real name. But it's entirely possible to use clues from a user's location, demographics, and OkCupid user name to determine their identity.

If your OkC username is one you've used anywhere else, I now know your sexual preferences & kinks, your answers to thousands of questions.

— Scott B. Weingart (@scott_bot) May 11, 2016

“Can you?” vs “Should you?”



Emil OW Kirkegaard @KirkegaardEmil · May 8

The OKCupid paper has now been submitted. This means that the dataset is now public! Enjoy! :) openpsych.net/forum/showthre...



26



38



Ethan Jewett @esjewett · May 11

@KirkegaardEmil This data set is highly re-identifiable. Even includes usernames? Was any work at all done to anonymize it?



3



9



Emil OW Kirkegaard

@KirkegaardEmil



Follow

@esjewett No. Data is already public.

Scraping permission & robots.txt

There is a standard for communicating to users if it is acceptable to automatically scrape a website via the robots exclusion standard or `robots.txt`.

You can find examples at all of your favorite websites: [google](#), [facebook](#), etc.

These files are meant to be machine readable, but the `polite` package can handle this for us (and much more).

```
1 polite::bow("http://google.com")
```

```
<polite session> http://google.com
  User-agent: polite R package
  robots.txt: 313 rules are defined for 4 bots
  Crawl delay: 5 sec
  The path is scapable for this user-agent
```

```
1 polite::bow("http://facebook.com")
```

```
<polite session> http://facebook.com
  User-agent: polite R package
  robots.txt: 525 rules are defined for 21 bots
  Crawl delay: 5 sec
  The path is not scapable for this user-agent
```

Example - Rotten Tomatoes

For the movies listed in **Popular Streaming Movies** list on [rottentomatoes.com](https://www.rottentomatoes.com) create a data frame with the Movies' titles, their tomatometer score, and whether the movie is fresh or rotten, and the movie's url.

Exercise 1

Using the url for each movie, now go out and grab the number of reviews, the runtime, and number of user ratings.

If you finish that you can then try to scrape the MPAA rating and the audience score,.

